

JOIN IN



RAM ZONE

Join fellow Ram enthusiasts and tell your story by posting comments, participating in discussions, and sharing your photos and videos. Join our community on Facebook, Twitter, YouTube, Google+, Pinterest and Instagram.



 **RAM OUTFITTER**
RAMTRUCKS.COM/OUTFITTER



5YR/60,000MI⁸
GAS POWERTRAIN LIMITED WARRANTY

5YR/100,000MI⁹
DIESEL POWERTRAIN LIMITED WARRANTY

Uconnect

BUSINESS LINK

ON THE JOB

 **RAM OUTFITTER**

SiriusXM¹⁰
SATELLITE RADIO

AUTOMOBILITY PROGRAM
CHRYSLER | JEEP | DODGE | RAM

1 Based on the average of VIO vs New Registrations for each model year within the FCA-defined HD pickup segment using IHS Market data as of July 1, 2017 for model years 1998 to 2017. 2 Based on latest available competitive information. Class based on 250/2500 and 350/2500 pickups. 3 The Advanced Front Air Bags in this vehicle are certified to the new U.S. Federal regulations for Advanced Air Bags. Children 12 years old and younger should always ride buckled up in a rear seat. Infants in rear-facing child restraints should never ride in the front seat of a vehicle with a passenger front air bag. All occupants should always wear their lap and shoulder belts properly. 4 No system, no matter how sophisticated, can repeal the laws of physics or overcome careless driving actions. Performance is limited by available traction, which snow, ice and other conditions can affect. When the ESC warning lamp flashes, the driver needs to use less throttle and adapt speed and driving behavior to prevailing road conditions. Always drive carefully, consistent with conditions. Always wear your seat belt. 5 Always look before proceeding, electronic drive aid is not a substitute for conscientious driving; always be aware of your surroundings. 6 Always sit properly with the head restraint properly adjusted. Never place anything in front of the head restraint. 7 Based on best-in-class cargo capacity, best-in-class payload and best-in-class fuel efficiency. 8 Transferable. See dealer for complete details and a copy of the 5-Year/60,000-Mile Gas Powertrain Limited Warranty. 9 Transferable. See dealer for complete details and a copy of the 5-Year/100,000-Mile Diesel Powertrain Limited Warranty. 10 SiriusXM audio and data services each require a subscription sold separately or as a package by Sirius XM Radio Inc. Your SiriusXM service will automatically stop at the end of your trial unless you decide to subscribe. If you decide to continue service after your trial, the subscription plan you choose will automatically renew thereafter and you will be charged according to your chosen payment method at then-current rates. Fees and taxes apply. To cancel, you must call SiriusXM at 1-866-635-2349. See SiriusXM Customer Agreement for complete terms at www.siriusxm.com. All fees and programming subject to change. Not all vehicles or devices are capable of receiving all services offered by SiriusXM. Current information and features may not be available in all locations or on all receivers.

© 2017 FCA US LLC. All Rights Reserved. Chrysler, Dodge, Jeep, Ram, Mopar, AllSecure, Automobility Program, Big Horn, Business/Link & design, HEMI, Laramie, Laramie Longhorn, Mega Cab, ParkSense, ParkView, Pentastar, Power Wagon, Quad Cab, Ram Articulinik, RamBox, the Ram's Head logo, Ram ProMaster, Ram ProMaster City, Rebel, Sentry Key, Tradesman and Uconnect are registered trademarks, and Active-Level, HFE High Fuel Efficiency & Design, Keyless Enter 'n Go and On The Job & design are trademarks of FCA US LLC. MultiAir is a registered trademark of C.R.F. Società Consortile per Azioni, used under license by FCA US LLC.

Cummins is a registered trademark of Cummins, Inc. ASIN is a registered trademark of Aisin Seiki Co., Ltd. Bosch is a registered trademark of Robert Bosch GmbH. Katarack is a registered trademark of Djiana Truck & Utility Equipment Co. All rights reserved. WARN is a registered trademark of Warn Industries, Inc. Sirius XM Connected Vehicles Services Inc, Sirius, XM, and SiriusXM and all related marks and logos are trademarks of Sirius XM Radio Inc. Facebook and logo are registered trademarks of Facebook, Inc. Instagram and logo are registered trademarks of Instagram, Inc. The Twitter logo is a service mark of Twitter, Inc. Pinterest and logo are registered trademarks of Pinterest, Inc. YouTube and logo and Google+ and logo are registered trademarks of Google Inc. Grizzly is a trademark of Grizzly Coolers LLC. Knapheide is a registered trademark of Knapheide Manufacturing Company.

About this brochure: since the time of printing, some of the information you'll find in this brochure may have been updated. Ask your dealer for details. Some of the equipment shown or described throughout this brochure may be available at extra cost. Specifications, descriptions, illustrative materials and all competitive comparisons contained herein are as accurate as known at the time this publication was approved for printing. FCA US LLC reserves the right to discontinue models at any time or change specifications without notice or without incurring obligation. Options may be required in combination with other options. For the price of the model with the equipment you desire, or verification of specifications contained here, see your Ram dealer.

**AMERICA'S
MOST EFFICIENT
WORK VAN**



**RAM
COMMERCIAL**

RAMTRUCKS.COM/COMMERCIAL

**AMERICA'S
LONGEST-LASTING
HEAVY DUTY PICKUPS¹**

2018 RAM COMMERCIAL
CHASSIS CABS | PICKUPS | PROMASTER | PROMASTER CITY





**AMERICA'S
LONGEST-LASTING
HEAVY DUTY PICKUPS***

RAM. THE BENCHMARK FOR COMMERCIAL-GRADE.

We get it: you've got big industrial jobs and tough recreational needs, and capability, strength and comfort simply have to be at the top of the game. The team players of the Ram Commercial portfolio are ready. Talking torque? Think available Cummins® Turbo Diesel on Ram Heavy Duty pickups and Chassis Cabs, culminating in best-in-class² 930 lb-ft of diesel torque in Ram 3500 pickup. Towing? Try best-in-class² 30,000-lb¹ 5th-wheel towing on 3500 pickup. Ride comfort? Our interiors, along with innovative available suspensions for Ram light- and heavy-duty pickups offer superb ride and handling. Refinement? Ram Laramie Longhorn® and Limited models—with their premium leather interiors and sophisticated electronics—are just the ticket. And for sheer practicality, Ram ProMaster® and Ram ProMaster City® offer a wealth of best-in-class features, with Cargo Van interiors ready for your upfit of choice. Ram delivers it all: PTO versatility, awesome towing and hauling, and remarkable comfort. For more, visit RAMTRUCKS.COM/COMMERCIAL



YOU NEED CAPABILITY. YOU GOT IT. WITH RAM.

Properly secure all cargo.

*A note about this brochure: all disclaimers and disclosures can be found on the back cover. ¹When properly equipped.



UPFIT YOURS FOR BIG JOBS.

Vocational upfit provided by Knapheide.



UP TO 750 LB-FT MAX DIESEL TORQUE | MAX GCWR*: 31,000 LB (3500), 33,500 LB (4500), 38,500 LB (5500)

*When properly equipped. Properly secure all cargo.

2018 RAM 3500 / 4500 / 5500 CHASSIS CABS

	TRADESMAN® REG / CREW	SLT REG / CREW	LARAMIE® CREW
CPOS PACKAGE	2TA	2TG	2TH
ENGINES / TRANSMISSIONS			
6.4L HEMI® V8 / 6-speed automatic (3500 only)	S	S	S
6.4L HEMI V8 / 6-speed AISIN® automatic AS66RC (available on 3500; standard on 4500 / 5500)	O/S	O/S	O/S
6.7L Cummins® Turbo Diesel; 320 hp, 650 lb-ft of torque / 6-speed manual	O	O	O
6.7L Cummins High Output Turbo Diesel; 325 hp, 750 lb-ft of torque / 6-speed AISIN Heavy-Duty automatic AS69RC	O	O	O
MECHANICAL FEATURES			
ALTERNATOR – 380-amp (dual 220-amp and 160-amp; requires 6.4L HEMI V8)	O	O	O
– 440-amp (dual 220-amp; requires 6.7L Cummins Turbo Diesel)	O	O	O
FUEL TANK – 52-gallon, rear-mounted	S	S	S
– 22-gallon, mid-ship (standard on 3500 DF 10K GVWR models)	S/O	S/O	S/O
– 74-gallon dual: 52- and 22-gallon (not available on 3500 SRW and 60-inch CA with 6.4L HEMI V8)	O	O	O
PTO CAPABILITY – Available with AISIN automatic or manual transmission (includes split-shaft PTO capability with diesel engine)	O	O	O
– Alternate left-side with AISIN transmission only	O	O	O
TOW HOOKS – Available with gas engine on 3500 models; included with diesel engine on 3500 models; standard on 4500 / 5500 models	O/P/S	O/P/S	O/P/S
UPFITTER INTERFACE MODULE – Over 50 inputs and outputs (packaged with Ambulance Prep Group)	O/P	O/P	O/P
SAFETY & SECURITY			
AIR BAGS ³ – Multistage front	S	S	S
– Driver only	O	O	–
BRAKES – Power-assisted four-wheel antilock disc	S	S	S
DOT-COMPLIANT ROADSIDE SAFETY KIT – Includes DOT fire extinguisher, three reflective triangles, two Red vinyl flags and spare fuses	O	O	O
ELECTRONIC STABILITY CONTROL (ESC) ⁴ – Four-channel ABS, Electronic Brake-Force Distribution, All-Speed Traction Control, Ready Alert Braking, Brake Assist, Hydraulic Boost Compensation, Rain Brake Support, Engine Drag Control, Trailer Sway Damping ⁵ , Electronic Roll Mitigation and Hill Start Assist	S	S	S
PARKSENSE® FRONT AND REAR PARK ASSIST ² – Requires Chrome Appearance Package and fog lamps on Tradesman, and fog lamps on SLT	O	O	O
PARKSENSE REAR PARK ASSIST ²	O	O	O
PARKVIEW® REAR BACK-UP CAMERA ⁶ – Shipped loose in cab, installed by the upfitter in the ideal location (image is displayed in the rearview mirror with UA1 radio; all other radios will include the camera display on-screen)	O	O	O
RED SEAT BELTS – Regular Cab only (not available on 10K GVWR 3500 SRW models)	O	O	–
REMOTE KEYLESS ENTRY – Controls for power door locks, illuminated entry system, panic alarm; includes two transmitters (packaged with Power and Remote Entry Group; optional on Crew Cab Tradesman)	O/P	S	S
REMOTE START SYSTEM – Requires automatic transmission; packaged with available automatic transmission on Laramie	–	O	P
SECURITY ALARM	–	O	S
SENTRY KEY® THEFT DETERRENT SYSTEM – Engine immobilizer	S	S	S
TRAILER BRAKE CONTROLLER – Fully integrated electronic	O	O	O

S = Standard. O = Optional. P = Part of package. – = Not available.

NOTE: some features and/or applications may be late availability.

2018 RAM 2500 / 3500

CPOS PACKAGE

ENGINES / TRANSMISSIONS

	TRADESMAN® REG / CREW	SLT REG / CREW / MEGA	BIG HORN® / LONE STAR® CREW / MEGA	POWER WAGON® CREW	LARAMIE® CREW / MEGA	LARAMIE LONGHORN® CREW / MEGA	LIMITED CREW / MEGA
	2TA	2TG	2TZ / 2TY	2TP	2TH	2TK	2TM
5.7L HEMI® V8 Bi-fuel CNG gas engine; 383 hp, 400 lb-ft of torque / 6-speed automatic (66RFE; 2500 Regular Cab and Crew Cab 8' box only)	0	0	-	-	-	-	-
5.7L HEMI V8 gas engine; 383 hp, 400 lb-ft of torque / 6-speed automatic (66RFE; SRW only)	S	S	S	-	-	-	-
6.4L HEMI V8 gas engine with MDS; 410 hp, 429 lb-ft of torque / 6-speed automatic (66RFE) (370 hp 3500 Mega Cab®) (Standard with DRW)	0/S	0/S	0/S	S	S	S	S
6.7L Cummins® Turbo Diesel engine; 350 hp, 660 lb-ft of torque / 6-speed manual (G56)	0	0	0	-	0	-	-
6.7L Cummins Turbo Diesel engine; 370 hp, 800 lb-ft of torque / 6-speed automatic (68RFE)	0	0	0	-	0	0	0
6.7L Cummins Turbo Diesel engine; 385 hp, 930 lb-ft of torque / 6-speed AISIN® Heavy-Duty automatic (3500 only)	0	0	0	-	0	0	0

MECHANICAL FEATURES

ALTERNATORS – Dual-rated at 380 amps (6.4L gas V8 only; includes 160-amp and 220-amp alternators)	0	0	0	0	0	0	0
– Dual-rated at 440 amps (6.7L diesel only; includes two 220-amp alternators)	0	0	0	-	0	0	0
SUSPENSION – Front, three-link coil spring suspension	S	S	S	-	S	S	S
– Front, Ram Articulink® suspension (included with Power Wagon Package; 2500 only)	P	-	-	S	-	-	-
– Front electronic disconnecting stabilizer bar (included with Power Wagon Package; 2500 only)	P	-	-	S	-	-	-
– Rear, five-link coil spring suspension (2500 only)	S	S	S	S	S	S	S
– Rear, Hotchkiss leaf spring suspension (3500 only)	S	S	S	-	S	S	S
– Rear, Auto-Level dual-mode air spring suspension system	0	0	0	-	0	0	0
TRAILER TOW – 4- / 7-pin trailer harness plug (combination receptacle)	S	S	S	S	S	S	S
– Class V hitch receiver	S	S	S	S	S	S	S
TRANSFER CASES (4x4 MODELS ONLY) – Manual shift-on-the-fly	S	-	-	S	-	-	-
– Electronic shift-on-the-fly	0	S	S	-	S	S	S
WINCH – WARN®, front, electric, 12,000-lb capacity (included with Power Wagon Package)	P	-	-	S	-	-	-

SAFETY & SECURITY

AIR BAGS ³ – Multistage front	S	S	S	S	S	S	S
– Supplemental side-curtain	S	S	S	S	S	S	S
– Supplemental front-seat side-mounted	S	S	S	S	S	S	S
CARGO-VIEW CAMERA ² – Included with Harvest Edition Package (requires 8.4-inch radios)	-	0	0/P	0	0	0	0
ELECTRONIC STABILITY CONTROL (ESC) ⁴ – Includes Brake Assist, Electronic Roll Mitigation, Hill Start Assist, Rain Brake Support, Ready Alert Braking, All-Speed Traction Control and Trailer Sway Damping ⁴	S	S	S	S	S	S	S
ELECTRONIC TRAILER BRAKE CONTROLLER	0	S	S	S	S	S	S
PARKSENSE® REAR PARK ASSIST ⁵	0	0	0	0	-	-	-
PARKSENSE FRONT AND REAR PARK ASSIST ⁵ – Included with Leather and Luxury Group	-	0	0	0/P	S	S	S
PARKVIEW® REAR BACK-UP CAMERA ² – Video displayed in rearview mirror with 3.0 radio or on-screen with 5.0- and 8.4-inch radio displays	S	S	S	S	S	S	S
REMOTE KEYLESS ENTRY WITH ALLSECURE® – Controls for power door locks, tailgate, RamBox™ System, illuminated entry system, panic alarm (included with Tradesman Popular Equipment Group or Power and Remote Entry Group)	P	S	S	S	S	S	S
REMOTE KEYLESS ENTER 'N GO™ – Optional with Leather and Luxury Group	-	-	-	0	0	0	S
REMOTE START – Requires automatic transmission	-	0	S	0	0	S	S
SECURITY ALARM – Detects break-in (included with Leather and Luxury Group)	-	0	0	0/P	S	S	S
SENTRY KEY® THEFT DETERRENT SYSTEM – Engine immobilizer	S	S	S	S	S	S	S
TIRE PRESSURE MONITORING (TPM) – With display and alert (2500 only)	S	S	S	S	S	S	S
TIRE PRESSURE INFORMATION SYSTEM – Without alert (3500 only)	S	S	S	-	S	S	S

S = Standard. 0 = Optional. P = Part of package. - = Not available.

Note: some features and/or applications may be late availability. *Lone Star model available only in Texas.



BEST-IN-CLASS* DIESEL TORQUE: 930 LB-FT (3500) BEST-IN-CLASS* 5TH-WHEEL TOWING: 30,000 LB* (3500)

*When properly equipped. Properly secure all cargo.



DRIVEN BY



QUALITY.

MAX TOWING UP TO 10,620 LB¹ | MAX PAYLOAD UP TO 1,880 LB¹ | HIGH-STRENGTH STEEL CARGO BED

¹When properly equipped. Properly secure all cargo.

2018 RAM 1500

CPOS PACKAGE

ENGINES / TRANSMISSIONS

	B	E	J	S/R	U	N	L	Q	W	H	K	V
3.6L Pentastar [®] Flex Fuel 24V V6 / 8HP45 8-speed automatic	S	-	S	S	S	S	S	S	S	S	-	-
5.7L HEMI [®] V8 with VVT and Fuel Saver Technology / 8HP70 8-speed automatic	0	-	0	0	0	0	S/O	S/O	S (4x2) 0 (4x4)	0	S	S
3.0L EcoDiesel V6 / 8HP70 8-speed automatic	0	S	-	0	0	0	0	-	-	0	0	0

MECHANICAL FEATURES

ACTIVE GRILLE SHUTTERS – Included with 8-speed automatic transmission	P	S	P	P	P	P	P	P	-	P	P	P
STEERING – Electronic rack and pinion	S	S	S	S	S	S	S	S	S	S	S	S
SUSPENSION – Front, upper and lower A-arms, coil springs, twin-tube shocks	S	S	S	S	S	S	S	S	-	S	S	0
– Rear, five-link, coil springs, twin-tube shocks	S	S	S	S	S	S	S	S	-	S	S	0
– Active-Level [™] Four-Corner Air Suspension System: includes front upper and lower A-arms, air springs, twin-tube shocks, rear five-link, air springs, twin-tube shocks, air compressor, dual closed-loop system storage tanks (Quad Cab [®] and Crew Cab only; not available for Crew Cab 4x2 models with 6'4" box)	0	-	0	0	0	0	0	0	S	0	0	S
TRAILER HITCH – Class IV hitch receiver (included with Trailer-Tow Mirrors and Brake Group)	S	-	0/P	S	0	S	0/P	0/P	S	S	S	S
TRANSFER CASE – Electronic part-time (4x4 models only)	S	-	S	-	S	-	-	-	S	-	-	-
– Electronic on-demand (4x4 models only)	-	-	-	S	-	S	S	S	-	S	S	S

SAFETY & SECURITY

AIR BAGS ³ – Advanced multistage front	S	S	S	S	S	S	S	S	S	S	S	S
– Supplemental side-curtain	S	S	S	S	S	S	S	S	S	S	S	S
– Supplemental front-seat side-mounted	S	S	S	S	S	S	S	S	S	S	S	S
BRAKES – Power-assisted 4-wheel antilock disc	S	S	S	S	S	S	S	S	S	S	S	S
ELECTRONIC STABILITY CONTROL (ESC) ⁴ – Includes 4-wheel ABS, Brake Assist, All-Speed Traction Control, Rain Brake Support, Ready Alert Braking, Electronic Roll Mitigation, Hill Start Assist and Trailer Sway Damping ⁴	S	S	S	S	S	S	S	S	S	S	S	S
PARKSENSE [®] REAR PARK ASSIST ⁵	-	-	-	-	-	-	-	-	S	-	-	-
PARKSENSE FRONT AND REAR PARK ASSIST ⁵ – Not available on Regular Cab	-	-	-	S	0	S	0	0	-	0	S	S
PARKVIEW [®] REAR BACK-UP CAMERA ⁵ – With dynamic grid lines (grid lines not available with 3.0 radios)	S	S	S	S	S	S	S	S	S	S	S	S
REMOTE KEYLESS ENTRY WITH ALLSECURE [®] – Controls for power door locks, tailgate and RamBox [®] System (when equipped), illuminated entry system, panic alarm; includes two transmitters (included with Popular Equipment Group, Express Value Package or Power and Remote Entry Group)	P	-	P	S	S	S	S	S	S	S	S	S
REMOTE KEYLESS ENTER 'N GO [™] – Includes remote proximity key (included with Convenience Group)	-	-	-	-	-	-	P	P	0	P	S	S
REMOTE START SYSTEM	-	-	-	S	S	S	S	S	S	0	S	S
SECURITY ALARM	-	-	-	S	S	S	S	S	S	S	S	S
TRAILER BRAKE CONTROLLER – Fully integrated electronic (included with Trailer-Tow Mirrors and Brake Group)	0/P	-	0/P	0/P	P	0/P	0/P	0/P	0/P	0/P	0/P	0/P

S = Standard. 0 = Optional. P = Part of package. - = Not available.

Note: some features and/or applications may be late availability. *Lone Star model available only in Texas.

2018 RAM PROMASTER®

ENGINE / TRANSMISSION

3.6L Pentastar® V6; 280 hp, 260 lb-ft of torque / 6-speed automatic

Front-Wheel Drive

FEATURES

12-VOLT POWER OUTLET

AIR CONDITIONING/HEAT – Manual

CARGO PARTITION – Without window

– With sliding window

– Delete

CLOTH SEATS

– Swivel seat – Driver

– Swivel seat – Passenger (requires driver swivel seat)

CRUISE CONTROL

HALOGEN HEADLAMPS

HEATED SEATS

POWER DOOR LOCKS – Speed-sensitive

POWER WINDOWS – Front

PREMIUM APPEARANCE GROUP – Includes chrome grille and front fog lamps

REAR SPEAKER WIRING PREP – Includes Upfit Interface Connector

SIRIUSXM® SATELLITE RADIO¹⁰

TELESCOPING STEERING COLUMN

UCONNECT™ 3 WITH 5-INCH DISPLAY – Includes Media Hub with USB and auxiliary inputs and steering wheel-mounted audio controls

UCONNECT 3 NAV WITH 5-INCH DISPLAY – Includes Navigation

VINYL SEATS (not available with swivel seat)

SAFETY & SECURITY

AIR BAGS³ – For driver and front-passenger, supplemental front-seat side-mounted, supplemental side-curtain

ELECTRONIC STABILITY CONTROL (ESC)⁴

FOUR-WHEEL DISC ANTILOCK BRAKE SYSTEM

FULL-SIZE SPARE TIRE

HEAD RESTRAINTS⁵

PARKSENSE® REAR PARK ASSIST⁵

PARKVIEW® REAR BACK-UP CAMERA⁶

REAR BACK-UP CAMERA³ KIT

REMOTE KEYLESS ENTRY

SECURITY ALARM

THREE-POINT SEAT BELTS

TIRE PRESSURE MONITORING (TPM) DISPLAY

S = Standard. O = Optional. P = Part of package. – = Not available. Note: some features and/or applications may be late availability.

	VAN	CHASSIS CAB	CUTAWAY
--	-----	-------------	---------

3.6L Pentastar® V6; 280 hp, 260 lb-ft of torque / 6-speed automatic	S	S	S
Front-Wheel Drive	S	S	S
ENGINE / TRANSMISSION			
12-VOLT POWER OUTLET	S	S	S
AIR CONDITIONING/HEAT – Manual	S	S	S
CARGO PARTITION – Without window	O	–	–
– With sliding window	O	–	–
– Delete	S	–	–
CLOTH SEATS	S	S	S
– Swivel seat – Driver	O	O	O
– Swivel seat – Passenger (requires driver swivel seat)	O	O	O
CRUISE CONTROL	O	O	O
HALOGEN HEADLAMPS	S	S	S
HEATED SEATS	O	O	O
POWER DOOR LOCKS – Speed-sensitive	S	S	S
POWER WINDOWS – Front	S	S	S
PREMIUM APPEARANCE GROUP – Includes chrome grille and front fog lamps	O	O	O
REAR SPEAKER WIRING PREP – Includes Upfit Interface Connector	S	S	S
SIRIUSXM® SATELLITE RADIO ¹⁰	O	O	O
TELESCOPING STEERING COLUMN	S	S	S
UCONNECT™ 3 WITH 5-INCH DISPLAY – Includes Media Hub with USB and auxiliary inputs and steering wheel-mounted audio controls	S	S	S
UCONNECT 3 NAV WITH 5-INCH DISPLAY – Includes Navigation	O	O	O
VINYL SEATS (not available with swivel seat)	O	O	O
SAFETY & SECURITY			
AIR BAGS ³ – For driver and front-passenger, supplemental front-seat side-mounted, supplemental side-curtain	S	S	S
ELECTRONIC STABILITY CONTROL (ESC) ⁴	S	S	S
FOUR-WHEEL DISC ANTILOCK BRAKE SYSTEM	S	S	S
FULL-SIZE SPARE TIRE	S	S	S
HEAD RESTRAINTS ⁵	S	S	S
PARKSENSE® REAR PARK ASSIST ⁵	O	–	–
PARKVIEW® REAR BACK-UP CAMERA ⁶	S	–	–
REAR BACK-UP CAMERA ³ KIT	–	S	S
REMOTE KEYLESS ENTRY	S	S	S
SECURITY ALARM	O	O	O
THREE-POINT SEAT BELTS	S	S	S
TIRE PRESSURE MONITORING (TPM) DISPLAY	S	S	S



EFFICIENCY MEETS VERSATILITY.



CARGO VAN MAX PAYLOAD UP TO 4,440 LB

CARGO VAN MAX TOWING UP TO 5,100 LB*

*When properly equipped. Properly secure all cargo.

AMERICA'S
MOST EFFICIENT
WORK VAN



THE RIGHT-SIZED
VAN AND WAGON.



CARGO VAN MAX PAYLOAD UP TO 1,883 LB

CARGO VAN MAX TOWING UP TO 2,000 LB*

*When properly equipped. Properly secure all cargo.

2018 RAM PROMASTER CITY®

CPOS PACKAGE

ENGINE / TRANSMISSION

2.4L MultiAir®2 I-4; 178 hp, 174 lb-ft of torque / 9-speed automatic

MECHANICAL FEATURES

ALTERNATOR – 160-amp

BATTERY – 700-amp, maintenance-free

BRAKES – Four-wheel antilock

CARGO PARTITION PACKAGE – Solid

– With window

ELECTRONIC VEHICLE TRACKING SYSTEM (EVTS) – By Mopar®

FLOOR MATS – Front and Rear Carpet (by Mopar)

– Front and Rear Slush (by Mopar)

– Front Carpet (by Mopar)

– Front Slush (by Mopar)

FRONT AND REAR STABILIZER BARS

FUEL TANK – 16-gallon

FULL-SIZE SPARE TIRE AND INFLATOR KIT

HEAVY-DUTY SUSPENSION

TIRE SERVICE KIT – Includes tire sealant and portable air compressor

SAFETY & SECURITY

AIR BAGS³ – For driver and front-passenger

– Driver inflatable knee bolster

– Supplemental front-seat side-mounted

– Supplemental side-curtain for 1st and 2nd row

– Supplemental side-curtain for 1st row

DOT-COMPLIANT ROADSIDE SAFETY KIT – Includes DOT fire extinguisher, three reflective triangles, two Red vinyl flags and spare fuses (by Mopar)

ELECTRONIC STABILITY CONTROL (ESC)⁴ – Includes Brake-Lock Differential, Electronic Roll Mitigation, Hill Start Assist, Trailer Sway Damping,⁵

Brake Assist and All-Speed Traction Control

PARKSENSE® REAR PARK ASSIST⁶

PARKVIEW® REAR BACK-UP CAMERA⁶

REMOTE KEYLESS ENTRY

TIRE PRESSURE MONITORING (TPM) SYSTEM – Warning lamp

S = Standard. O = Optional. – = Not available.

Note: some features and/or applications may be late availability.

	TRADESMAN® CARGO VAN	TRADESMAN SUT CARGO VAN	WAGON	WAGON SUT
	2TC	2TD	2TA	2TB
ENGINE / TRANSMISSION	S	S	S	S
MECHANICAL FEATURES				
ALTERNATOR – 160-amp	S	S	S	S
BATTERY – 700-amp, maintenance-free	S	S	S	S
BRAKES – Four-wheel antilock	S	S	S	S
CARGO PARTITION PACKAGE – Solid	O	O	–	–
– With window	O	O	–	–
ELECTRONIC VEHICLE TRACKING SYSTEM (EVTS) – By Mopar®	O	O	O	O
FLOOR MATS – Front and Rear Carpet (by Mopar)	–	–	O	O
– Front and Rear Slush (by Mopar)	–	–	O	O
– Front Carpet (by Mopar)	O	O	–	–
– Front Slush (by Mopar)	O	O	–	–
FRONT AND REAR STABILIZER BARS	S	S	S	S
FUEL TANK – 16-gallon	S	S	S	S
FULL-SIZE SPARE TIRE AND INFLATOR KIT	O	O	O	O
HEAVY-DUTY SUSPENSION	S	S	S	S
TIRE SERVICE KIT – Includes tire sealant and portable air compressor	S	S	S	S
SAFETY & SECURITY				
AIR BAGS ³ – For driver and front-passenger	S	S	S	S
– Driver inflatable knee bolster	S	S	S	S
– Supplemental front-seat side-mounted	S	S	S	S
– Supplemental side-curtain for 1st and 2nd row	–	–	S	S
– Supplemental side-curtain for 1st row	S	S	–	–
DOT-COMPLIANT ROADSIDE SAFETY KIT – Includes DOT fire extinguisher, three reflective triangles, two Red vinyl flags and spare fuses (by Mopar)	O	O	O	O
ELECTRONIC STABILITY CONTROL (ESC) ⁴ – Includes Brake-Lock Differential, Electronic Roll Mitigation, Hill Start Assist, Trailer Sway Damping, ⁵ Brake Assist and All-Speed Traction Control	S	S	S	S
PARKSENSE® REAR PARK ASSIST ⁶	O	O	O	O
PARKVIEW® REAR BACK-UP CAMERA ⁶	S	S	S	S
REMOTE KEYLESS ENTRY	S	S	S	S
TIRE PRESSURE MONITORING (TPM) SYSTEM – Warning lamp	S	S	S	S

A TRUCK FOR EVERY JOB.



CONFIGURATIONS

	1500 PICKUPS		2500 AND 3500 PICKUPS		3500, 4500 AND 5500 CHASSIS CABS				
	SRW		SRW	DRW	SRW	DRW			
REGULAR CAB	RB 6'4"	8'	8'	8'	60"	60"	84"	108"	120"
			2500, 3500	3500	3500	3500, 4500, 5500	3500, 4500, 5500	4500, 5500	4500, 5500
QUAD CAB®	RB 6'4"								
CREW CAB	RB 5'7"	RB 6'4"	RB 6'4"	8'	8'	60"	60"	84"	
			2500, 3500	2500, 3500	3500	3500, 4500, 5500	4500, 5500		
MEGA CAB®		RB 6'4"	6'4"						
		2500, 3500	3500						

000 CARGO BED LENGTH
000 CAB-TO-AXLE LENGTH (CA)
RB RAMBOX® SYSTEM AVAILABLE
 SRW = SINGLE REAR WHEEL
 DRW = DUAL REAR WHEEL

CONFIGURATIONS

RAM PROMASTER CITY	
TRADESMAN® CARGO VAN	 122.4 87.2
PASSENGER WAGON	 122.4 69.2
	000 WHEELBASE LENGTH IN INCHES 000 LOAD FLOOR LENGTH IN INCHES

	RAM PROMASTER 1500	RAM PROMASTER 2500	RAM PROMASTER 3500
CARGO VAN STANDARD ROOF	 118 105.1 195.4	 136 122.8 213.1	000 WHEELBASE LENGTH IN INCHES EXT BODY/CHASSIS EXTENDED 14 INCHES 000 LOAD FLOOR LENGTH IN INCHES 000 CAB-TO-AXLE LENGTH IN INCHES 000 OVERALL BODY LENGTH IN INCHES
CARGO VAN AVAILABLE HIGH ROOF	 136 122.8 213.1	 136 122.8 213.1	 159 145.9 236.1
CHASSIS CAB/ CUTAWAY STANDARD ROOF ONLY			 136 81.1 207.0
			 159 104.1 230.0
			 159 EXT 104.1 244.4